





REVISION HISTORY CP: 020-001856-01		
01	DESCRIPTION OF CHANGE	REV. DATE
02	INITIAL RELEASE	REV. DATE
03	UPDATE DRAWING	REV. DATE



NOTES:

MASS: Projector: 51.2 kg (112.9 lbs) - no lens
Operational: 53.0 kg (118.8 lbs) - with lens

OPERATIONAL AMBIENT AIR TEMPERATURE: 15°C (59°F) MIN to 35°C (95°F) MAX
NON-OPERATIONAL (TRANSPORTING) AMBIENT AIR TEMPERATURE: -20°C (-4°F) MIN to 60°C (140°F) MAX
ALTITUDE: 0-2000M (10000ft)


POWER REQUIREMENTS:
INPUT A: 200-240 VAC, 16A
INPUT B (UPS): 100-240 VAC, 4A


ROOM HEAT LOAD: 6112 BTU/h MAX.
SIDE ROTATION: ± 5° MAX (AROUND PROJECTION AXIS)
TILT ANGLE: -15° to +3° FROM HORIZONTAL (REAR FEET ADJUSTMENT)



LENS	PART NUMBER	DIMENSION 'A'	DIMENSION 'B'	DIMENSION 'C'	WEIGHT
1.2 - 1.72:1.69"	108-494108-01	47.9 [1.89]	105.4 [4.15]	727.9 [28.66]	5.97 lb (2.71 kg)
1.33 - 2.1:1.69"	108-495109-01	47.9 [1.89]	105.4 [4.15]	727.9 [28.66]	6.04 lb (2.74 kg)
1.62 - 2.7:1.69"	108-49610D-01	46.9 [1.85]	104.4 [4.11]	726.9 [28.62]	6.04 lb (2.74 kg)
2.09 - 3.9:1.69"	108-497101-01	37 [1.46]	94.5 [3.72]	717 [28.23]	5.86 lb (2.66 kg)

Model	CP2306-RGB/C	CP2308-RGB/C	CP2310-RGB/C
Projector Power (W)	700	870	1050
Chiller Average Power (W)	350	390	420
Total Power (W)	1050	1260	1470

UNIT: INCHES STRESS OF TENSILE SPECIES INTERFERENCES AND CLEARANCES TO BE MAINTAINED SOURCE: AS PER AS SHOWN BELOW	DIMENSIONS 1/8" 1/16" 1/32" 1/64" 1/32" 1/16" 1/8" 1/4" 3/8" 1/2" 5/8" 3/4" 1" 1 1/4" 1 1/2" 1 3/4" 2" 2 1/4" 2 1/2" 3" 3 1/4" 3 1/2" 4" 4 1/4" 4 1/2" 5" 5 1/4" 5 1/2" 6" 6 1/4" 6 1/2" 7" 7 1/4" 7 1/2" 8" 8 1/4" 8 1/2" 9" 9 1/4" 9 1/2" 10" 10 1/4" 10 1/2" 11" 11 1/4" 11 1/2" 12" 12 1/4" 12 1/2" 13" 13 1/4" 13 1/2" 14" 14 1/4" 14 1/2" 15" 15 1/4" 15 1/2" 16" 16 1/4" 16 1/2" 17" 17 1/4" 17 1/2" 18" 18 1/4" 18 1/2" 19" 19 1/4" 19 1/2" 20" 20 1/4" 20 1/2" 21" 21 1/4" 21 1/2" 22" 22 1/4" 22 1/2" 23" 23 1/4" 23 1/2" 24" 24 1/4" 24 1/2" 25" 25 1/4" 25 1/2" 26" 26 1/4" 26 1/2" 27" 27 1/4" 27 1/2" 28" 28 1/4" 28 1/2" 29" 29 1/4" 29 1/2" 30" 30 1/4" 30 1/2" 31" 31 1/4" 31 1/2" 32" 32 1/4" 32 1/2" 33" 33 1/4" 33 1/2" 34" 34 1/4" 34 1/2" 35" 35 1/4" 35 1/2" 36" 36 1/4" 36 1/2" 37" 37 1/4" 37 1/2" 38" 38 1/4" 38 1/2" 39" 39 1/4" 39 1/2" 40" 40 1/4" 40 1/2" 41" 41 1/4" 41 1/2" 42" 42 1/4" 42 1/2" 43" 43 1/4" 43 1/2" 44" 44 1/4" 44 1/2" 45" 45 1/4" 45 1/2" 46" 46 1/4" 46 1/2" 47" 47 1/4" 47 1/2" 48" 48 1/4" 48 1/2" 49" 49 1/4" 49 1/2" 50" 50 1/4" 50 1/2" 51" 51 1/4" 51 1/2" 52" 52 1/4" 52 1/2" 53" 53 1/4" 53 1/2" 54" 54 1/4" 54 1/2" 55" 55 1/4" 55 1/2" 56" 56 1/4" 56 1/2" 57" 57 1/4" 57 1/2" 58" 58 1/4" 58 1/2" 59" 59 1/4" 59 1/2" 60" 60 1/4" 60 1/2" 61" 61 1/4" 61 1/2" 62" 62 1/4" 62 1/2" 63" 63 1/4" 63 1/2" 64" 64 1/4" 64 1/2" 65" 65 1/4" 65 1/2" 66" 66 1/4" 66 1/2" 67" 67 1/4" 67 1/2" 68" 68 1/4" 68 1/2" 69" 69 1/4" 69 1/2" 70" 70 1/4" 70 1/2" 71" 71 1/4" 71 1/2" 72" 72 1/4" 72 1/2" 73" 73 1/4" 73 1/2" 74" 74 1/4" 74 1/2" 75" 75 1/4" 75 1/2" 76" 76 1/4" 76 1/2" 77" 77 1/4" 77 1/2" 78" 78 1/4" 78 1/2" 79" 79 1/4" 79 1/2" 80" 80 1/4" 80 1/2" 81" 81 1/4" 81 1/2" 82" 82 1/4" 82 1/2" 83" 83 1/4" 83 1/2" 84" 84 1/4" 84 1/2" 85" 85 1/4" 85 1/2" 86" 86 1/4" 86 1/2" 87" 87 1/4" 87 1/2" 88" 88 1/4" 88 1/2" 89" 89 1/4" 89 1/2" 90" 90 1/4" 90 1/2" 91" 91 1/4" 91 1/2" 92" 92 1/4" 92 1/2" 93" 93 1/4" 93 1/2" 94" 94 1/4" 94 1/2" 95" 95 1/4" 95 1/2" 96" 96 1/4" 96 1/2" 97" 97 1/4" 97 1/2" 98" 98 1/4" 98 1/2" 99" 99 1/4" 99 1/2" 100" 100 1/4" 100 1/2" 101" 101 1/4" 101 1/2" 102" 102 1/4" 102 1/2" 103" 103 1/4" 103 1/2" 104" 104 1/4" 104 1/2" 105" 105 1/4" 105 1/2" 106" 106 1/4" 106 1/2" 107" 107 1/4" 107 1/2" 108" 108 1/4" 108 1/2" 109" 109 1/4" 109 1/2" 110" 110 1/4" 110 1/2" 111" 111 1/4" 111 1/2" 112" 112 1/4" 112 1/2" 113" 113 1/4" 113 1/2" 114" 114 1/4" 114 1/2" 115" 115 1/4" 115 1/2" 116" 116 1/4" 116 1/2" 117" 117 1/4" 117 1/2" 118" 118 1/4" 118 1/2" 119" 119 1/4" 119 1/2" 120" 120 1/4" 120 1/2" 121" 121 1/4" 121 1/2" 122" 122 1/4" 122 1/2" 123" 123 1/4" 123 1/2" 124" 124 1/4" 124 1/2" 125" 125 1/4" 125 1/2" 126" 126 1/4" 126 1/2" 127" 127 1/4" 127 1/2" 128" 128 1/4" 128 1/2" 129" 129 1/4" 129 1/2" 130" 130 1/4" 130 1/2" 131" 131 1/4" 131 1/2" 132" 132 1/4" 132 1/2" 133" 133 1/4" 133 1/2" 134" 134 1/4" 134 1/2" 135" 135 1/4" 135 1/2" 136" 136 1/4" 136 1/2" 137" 137 1/4" 137 1/2" 138" 138 1/4" 138 1/2" 139" 139 1/4" 139 1/2" 140" 140 1/4" 140 1/2" 141" 141 1/4" 141 1/2" 142" 142 1/4" 142 1/2" 143" 143 1/4" 143 1/2" 144" 144 1/4" 144 1/2" 145" 145 1/4" 145 1/2" 146" 146 1/4" 146 1/2" 147" 147 1/4" 147 1/2" 148" 148 1/4" 148 1/2" 149" 149 1/4" 149 1/2" 150" 150 1/4" 150 1/2" 151" 151 1/4" 151 1/2" 152" 152 1/4" 152 1/2" 153" 153 1/4" 153 1/2" 154" 154 1/4" 154 1/2" 155" 155 1/4" 155 1/2" 156" 156 1/4" 156 1/2" 157" 157 1/4" 157 1/2" 158" 158 1/4" 158 1/2" 159" 159 1/4" 159 1/2" 160" 160 1/4" 160 1/2" 161" 161 1/4" 161 1/2" 162" 162 1/4" 162 1/2" 163" 163 1/4" 163 1/2" 164" 164 1/4" 164 1/2" 165" 165 1/4" 165 1/2" 166" 166 1/4" 166 1/2" 167" 167 1/4" 167 1/2" 168" 168 1/4" 168 1/2" 169" 169 1/4" 169 1/2" 170" 170 1/4" 170 1/2" 171" 171 1/4" 171 1/2" 172" 172 1/4" 172 1/2" 173" 173 1/4" 173 1/2" 174" 174 1/4" 174 1/2" 175" 175 1/4" 175 1/2" 176" 176 1/4" 176 1/2" 177" 177 1/4" 177 1/2" 178" 178 1/4" 178 1/2" 179" 179 1/4" 179 1/2" 180" 180 1/4" 180 1/2" 181" 181 1/4" 181 1/2" 182" 182 1/4" 182 1/2" 183" 183 1/4" 183 1/2" 184" 184 1/4" 184 1/2" 185" 185 1/4" 185 1/2" 186" 186 1/4" 186 1/2" 187" 187 1/4" 187 1/2" 188" 188 1/4" 188 1/2" 189" 189 1/4" 189 1/2" 190" 190 1/4" 190 1/2" 191" 191 1/4" 191 1/2" 192" 192 1/4" 192 1/2" 193" 193 1/4" 193 1/2" 194" 194 1/4" 194 1/2" 195" 195 1/4" 195 1/2" 196" 196 1/4" 196 1/2" 197" 197 1/4" 197 1/2" 198" 198 1/4" 198 1/2" 199" 199 1/4" 199 1/2" 200" 200 1/4" 200 1/2" 201" 201 1/4" 201 1/2" 202" 202 1/4" 202 1/2" 203" 203 1/4" 203 1/2" 204" 204 1/4" 204 1/2" 205" 205 1/4" 205 1/2" 206" 206 1/4" 206 1/2" 207" 207 1/4" 207 1/2" 208" 208 1/4" 208 1/2" 209" 209 1/4" 209 1/2" 210" 210 1/4" 210 1/2" 211" 211 1/4" 211 1/2" 212" 212 1/4" 212 1/2" 213" 213 1/4" 213 1/2" 214" 214 1/4" 214 1/2" 215" 215 1/4" 215 1/2" 216" 216 1/4" 216 1/2" 217" 217 1/4" 217 1/2" 218" 218 1/4" 218 1/2" 219" 219 1/4" 219 1/2" 220" 220 1/4" 220 1/2" 221" 221 1/4" 221 1/2" 222" 222 1/4" 222 1/2" 223" 223 1/4" 223 1/2" 224" 224 1/4" 224 1/2" 225" 225 1/4" 225 1/2" 226" 226 1/4" 226 1/2" 227" 227 1/4" 227 1/2" 228" 228 1/4" 228 1/2" 229" 229 1/4" 229 1/2" 230" 230 1/4" 230 1/2" 231" 231 1/4" 231 1/2" 232" 232 1/4" 232 1/2" 233" 233 1/4" 233 1/2" 234" 234 1/4" 234 1/2" 235" 235 1/4" 235 1/2" 236" 236 1/4" 236 1/2" 237" 237 1/4" 237 1/2" 238" 238 1/4" 238 1/2" 239" 239 1/4" 239 1/2" 240" 240 1/4" 240 1/2" 241" 241 1/4" 241 1/2" 242" 242 1/4" 242 1/2" 243" 243 1/4" 243 1/2" 244" 244 1/4" 244 1/2" 245" 245 1/4" 245 1/2" 246" 246 1/4" 246 1/2" 247" 247 1/4" 247 1/2" 248" 248 1/4" 248 1/2" 249" 249 1/4" 249 1/2" 250" 250 1/4" 250 1/2" 251" 251 1/4" 251 1/2" 252" 252 1/4" 252 1/2" 253" 253 1/4" 253 1/2" 254" 254 1/4" 254 1/2" 255" 255 1/4" 255 1/2" 256" 256 1/4" 256 1/2" 257" 257 1/4" 257 1/2" 258" 258 1/4" 258 1/2" 259" 259 1/4" 259 1/2" 260" 260 1/4" 260 1/2" 261" 261 1/4" 261 1/2" 262" 262 1/4" 262 1/2" 263" 263 1/4" 263 1/2" 264" 264 1/4" 264 1/2" 265" 265 1/4" 265 1/2" 266" 266 1/4" 266 1/2" 267" 267 1/4" 267 1/2" 268" 268 1/4" 268 1/2" 269" 269 1/4" 269 1/2" 270" 270 1/4" 270 1/2" 271" 271 1/4" 271 1/2" 272" 272 1/4" 272 1/2" 273" 273 1/4" 273 1/2" 274" 274 1/4" 274 1/2" 275" 275 1/4" 275 1/2" 276" 276 1/4" 276 1/2" 277" 277 1/4" 277 1/2" 278" 278 1/4" 278 1/2" 279" 279 1/4" 279 1/2" 280" 280 1/4" 280 1/2" 281" 281 1/4" 281 1/2" 282" 282 1/4" 282 1/2" 283" 283 1/4" 283 1/2" 284" 284 1/4" 284 1/2" 285" 285 1/4" 285 1/2" 286" 286 1/4" 286 1/2" 287" 287 1/4" 287 1/2" 288" 288 1/4" 288 1/2" 289" 289 1/4" 289 1/2" 290" 290 1/4" 290 1/2" 291" 291 1/4" 291 1/2" 292" 292 1/4" 292 1/2" 293" 293 1/4" 293 1/2" 294" 294 1/4" 294 1/2" 295" 295 1/4" 295 1/2" 296" 296 1/4" 296 1/2" 297" 297 1/4" 297 1/2" 298" 298 1/4" 298 1/2" 299" 299 1/4" 299 1/2" 300" 300 1/4" 300 1/2" 301" 301 1/4" 301 1/2" 302" 302 1/4" 302 1/2" 303" 303 1/4" 303 1/2" 304" 304 1/4" 304 1/2" 305" 305 1/4" 305 1/2" 306" 306 1/4" 306 1/2" 307" 307 1/4" 307 1/2" 308" 308 1/4" 308 1/2" 309" 309 1/4" 309 1/2" 310" 310 1/4" 310 1/2" 311" 311 1/4" 311 1/2" 312" 312 1/4" 312 1/2" 313" 313 1/4" 313 1/2" 314" 314 1/4" 314 1/2" 315" 315 1/4" 315 1/2" 316" 316 1/4" 316 1/2" 317" 317 1/4" 317 1/2" 318" 318 1/4" 318 1/2" 319" 319 1/4" 319 1/2" 320" 320 1/4" 320 1/2" 321" 321 1/4" 321 1/2" 322" 322 1/4" 322 1/2" 323" 323 1/4" 323 1/2" 324" 324 1/4" 324 1/2" 325" 325 1/4" 325 1/2" 326" 326 1/4" 326 1/2" 327" 327 1/4" 327 1/2" 328" 328 1/4" 328 1/2" 329" 329 1/4" 329 1/2" 330" 330 1/4" 330 1/2" 331" 331 1/4" 331 1/2" 332" 332 1/4" 332 1/2" 333" 333 1/4" 333 1/2" 334" 334 1/4" 334 1/2" 335" 335 1/4" 335 1/2" 336" 336 1/4" 336 1/2" 337" 337 1/4" 337 1/2" 338" 338 1/4" 338 1/2" 339" 339 1/4" 339 1/2" 340" 340 1/4" 340 1/2" 341" 341 1/4" 341 1/2" 342" 342 1/4" 342 1/2" 343" 343 1/4" 343 1/2" 344" 344 1/4" 344 1/2" 345" 345 1/4" 345 1/2" 346" 346 1/4" 346 1/2" 347" 347 1/4" 347 1/2" 348" 348 1/4" 348 1/2" 349" 349 1/4" 349 1/2" 350" 350 1/4" 350 1/2" 351" 351 1/4" 351 1/2" 352" 352 1/4" 352 1/2" 353" 353 1/4" 353 1/2" 354" 354 1/4" 354 1/2" 355" 355 1/4" 355 1/2" 356" 356 1/4" 356 1/2" 357" 357 1/4" 357 1/2" 358" 358 1/4" 358 1/2" 359" 359 1/4" 359 1/2" 360" 360 1/4" 360 1/2" 361" 361 1/4" 361 1/2" 362" 362 1/4" 362 1/2" 363" 363 1/4" 363 1/2" 364" 364 1/4" 364 1/2" 365" 365 1/4" 365 1/2" 366" 366 1/4" 366 1/2" 367" 367 1/4" 367 1/2" 368" 368 1/4" 368 1/2" 369" 369 1/4" 369 1/2" 370" 370 1/4" 370 1/2" 371" 371 1/4" 371 1/2" 372" 372 1/4" 372 1/2" 373" 373 1/4" 373 1/2" 374" 374 1/4" 374 1/2" 375" 375 1/4" 375 1/2" 376" 376 1/4" 376 1/2" 377" 377 1/4" 377 1/2" 378" 378 1/4" 378 1/2" 379" 379 1/4" 379 1/2" 380" 380 1/4" 380 1/2" 381" 381 1/4" 381 1/2" 382" 382 1/4" 382 1/2" 383" 383 1/4" 383 1/2" 384" 384 1/4" 384 1/2" 385" 385 1/4" 385 1/2" 386" 386 1/4" 386 1/2" 387" 387 1/4" 387 1/2" 388" 388 1/4" 388 1/2" 389" 389 1/4" 389 1/2" 390" 390 1/4" 390 1/2" 391" 391 1/4" 391 1/2" 392" 392 1/4" 392 1/2" 393" 393 1/4" 393 1/2" 394" 394 1/4" 394 1/2" 395" 395 1/4" 395 1/2" 396" 396 1/4" 396 1/2" 397" 397 1/4" 397 1/2" 398" 398 1/4" 398 1/2" 399" 399 1/4" 399 1/2" 400" 400 1/4" 400 1/2" 401" 401 1/4" 401 1/2" 402" 402 1/4" 402 1/2" 403" 403 1/4" 403 1/2" 404" 404 1/4" 404 1/2" 405" 405 1/4" 405 1/2" 406" 406 1/4" 406 1/2" 407" 407 1/4" 407 1/2" 408" 408 1/4" 408 1/2" 409" 409 1/4" 409 1/2" 410" 410 1/4" 410 1/2" 411" 411 1/4" 411 1/2" 412" 412 1/4" 412 1/2" 413" 413 1/4" 413 1/2" 414" 414 1/4" 414 1/2" 415" 415 1/4" 415 1/2" 416" 416 1/4" 416 1/2" 417" 417 1/4" 417 1/2" 418" 418 1/4" 418 1/2" 419" 419 1/4" 419 1/2" 420" 420 1/4" 420 1/2" 421" 421 1/4" 421 1/2" 422" 422 1/4" 422 1/2" 423" 423 1/4" 423 1/2" 424" 424 1/4" 424 1/2" 425" 425 1/4" 425 1/2" 426" 426 1/4" 426 1/2" 427" 427 1/4" 427 1/2" 428" 428 1/4" 428 1/2" 429" 429 1/4" 429 1/2" 430" 430 1/4" 430 1/2" 431" 431 1/4" 431 1/2" 432" 432 1/4" 432 1/2" 433" 433 1/4" 433 1/2" 434" 434 1/4" 434 1/2" 435" 435 1/4" 435 1/2" 436" 436 1/4" 436 1/2" 437" 437 1/4" 437 1/2" 438" 438 1/4" 438 1/2" 439" 439 1/4" 439 1/2" 440" 440 1/4" 440 1/2" 441" 441 1/4" 441 1/2" 442" 442 1/4" 442 1/2" 443" 443 1/4" 443 1/2" 444" 444 1/4" 444 1/2" 445" 445 1/4" 445 1/2" 446" 446 1/4" 446 1/2" 447" 447 1/4" 447 1/2" 448" 448 1/4" 448 1/2" 449" 449 1/4" 449 1/2" 450" 450 1/4" 450 1/2" 451" 451 1/4" 451 1/2" 452" 452 1/4" 452 1/2" 453" 453 1/4" 453 1/2" 454" 454 1/4" 454 1/2" 455" 455 1/4" 455 1/2" 456" 456 1/4" 456 1/2" 457" 457 1/4" 457 1/2" 458" 458 1/4" 458 1/2" 459" 459 1/4" 459 1/2" 460" 460 1/4" 460 1/2" 461" 461 1/4" 461 1/2" 462" 462 1/4" 462 1/2" 463" 463 1/4" 463 1/2" 464" 464 1/4" 464 1/2" 465" 465 1/4" 465 1/2" 466" 466 1/4" 466 1/2" 467" 467 1/4" 467 1/2" 468" 468 1/4" 468 1/2" 469" 469 1/4" 469 1/2" 470" 470 1/4" 470 1/2" 471" 471 1/4" 471 1/2" 472" 472 1/4" 472 1/2" 473" 473 1/4" 473 1/2" 474" 474 1/4" 474 1/2" 475" 475 1/4" 475 1/2" 476" 476 1/4" 476 1/2" 477" 477 1/4
--	--








NOTES:
 MASS- Projector: CWUL-10: 27kg
 CWUL-20: 29kg


Rubber hose : Internal Diameter : 8mm [5/16]

Cautions:


- Please ensure that the power supply and electrical outlet are in good contact and the earth wire must be firmly grounded!
 Although the average operating current of the chiller is small, but the instantaneous operating current could be up to 6-10amps sometimes (The instantaneous operating current of models of AC110V power supply are possible to be up to 10-15amps).
- Please make sure the chiller's working voltage is stable and standard.
 As the refrigerant compressor is more sensitive to voltage of power supply, the standard working voltage of our standard machines is 210-240V (110V model is 100-120V).
- In order to protect the water pump, it is strictly forbidden to run the chiller without water in water tank.
 The new machine will empty all water in water tank before packing in the box, so make sure the water tank is filled with water before start the machine on the water pump will damage easily. When water gauge of water tank below green NORMAL area, the refrigeration volume will drop a little, please make sure the water gauge is around the green NORMAL area. To drain through circulating pump is strictly prohibited.
- The filter of air inlet requires cleaning regularly.
 It is important to wash the anti-dust gauze regularly by removed it from chiller, because if anti-dust gauze heavy accumulated dust will lead to chiller failure.
- Please pay attention to condensate water.
 When water temperature lower than ambient temperature, and ambient humidity is higher, the condensate water will generate on the surface of circular water pipes and surface of devices which being cooled. If it happens, setting higher water temperature or keep warm for water pipes and devices will be recommended.




FUJIFILM 1.2-1.72:1.69" (108-494108-XX)



FUJIFILM 1.62-2.70:1.69" (108-496100-XX)



FUJIFILM 1.33-2.10:1.69" (108-495109-XX)



FUJIFILM 2.09-3.9:1.69" (108-497101-XX)

