## **Inspire Series lens throw ratios**

The following table details the information required to calculate the lens throw ratios for the Inspire Series projectors.

Lens	Throw distance formula		Vertical and	Diagonal screen sizes	
	Imperial (in)	Metric (cm)	horizontal offset (%)	Imperial (in)	Metric (cm)
0.65-0.75:1 short throw (lens included*)	TDmin = (W*0.67)+1.98	TDmin = (W*0.67)+5.02	+/- 110% V	50 to 300	127 to 762
	TDmax = (W*0.77)+1.98	TDmax = (W*0.77)+5.02	+/- 50% H		
1.25-2.00:1 zoom (lens included**)	TDmin = (W*1.28)+1.60	TDmin = (W*1.28)+4.07	+/- 110% V	60 to 200	152.4 to 508
	TDmax = (W*2.03)+1.63	TDmax = (W*2.03)+4.15	+/- 50% H		

\* The 0.65 - 0.75:1 short throw lens is only for DWU960ST-iS projectors.

\*\* The 1.25 - 2.0:1 lens is only for DWU760-iS, DWU760A-iS, DWU860-iS, and DWU960-iS projectors.

- Throw distance measured from the center of the front foot of the projector.
- Calculated throw distance (TD) values are subject to a +/- 5% tolerance for individual lens variation.
- Calculated offset values are subject to a +/- 7% centering tolerance.